

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT DETAILS: INDUSTRIAL DEGREASER
NAME: IDX20 HEAVY DUTY DEGREASER
PRODUCT DESCRIPTION: Excellent biodegradable, alkaline water based degreaser with many industrial applications
PRODUCT CODE #: XDEG1L, XDEG4L, XDEG20L, XDEG205L, XDEG1000L
MANUFACTURER: Paxon Industries Ltd.
ADDRESS: 2506 41st Street, Vernon BC, V1T 6J9 Canada
EMERGENCY PHONE: 1-613-996-6666 CANUTEC
Phone: 1-250-558-3001 Paxton
PRODUCT TYPE: Corrosive liquid solution

SECTION 2 – HAZARDS IDENTIFICATION



H290: May be corrosive to metals H302: Harmful if swallowed
H312: Harmful in contact with skin H318: Causes serious eye damage
Safetyphrase: keep out of reach of children

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

<u>INGREDIENTS</u>	<u>CAS#</u>	<u>%</u>
Sodium Hydroxide	1310-73-2	2-4
Alcohol Ethoxylates	68439-46-3	3-5
Sodium Metasilicate	6834-92-0	2-4
Glycol Ether DPM	34590-94-8	5-7

SECTION 4 – FRIST AID MEASURES

SKIN: Wash with plenty of water and soap. Remove contaminated clothing. If irritation persists, get medical attention.
EYES: Flush eye with running water for 15 minutes, lifting upper and lower lids occasionally. Get medical attention.
INGESTION: Do not induce vomiting. Drink plenty of water and get medical attention. Do not give anything by mouth to an unconscious or convulsing person.
INHALATION: Remove to fresh air and seek medical attention.

SECTION 5 – FIRE FIGHTING MEASURES

Suitable Extinguishing Agents: Product non-flammable.
Special hazards caused by the material, its products or combustion or flue gases: Avoid exposure to strong oxidizing materials.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

LEAK & SPILL PROCEDURE: Use of protective equipment is recommended. Wipe or mop small spills and dispose. Large spills: contain with soil or absorbent material and dispose in accordance with local regulations.
WASTE DISPOSAL: In accordance with local regulations.
Measures for Environmental Protection: In case of a large spill place material in suitable containers.
Measures for cleaning/collecting: Absorb with liquid-binding material.

SECTION 7 – HANDLING AND STORAGE

ENGINEERING CONTROLS: Handle in ventilated area.
STORAGE REQUIREMENTS: Normal storage areas.
SPECIAL SHIPPING INFO: Keep containers closed. Keep from freezing.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIP: Eye wash and safety shower nearby required.

Use MSHA approved respirator specified for protection against spray mist and organic vapors in restricted and confined areas. Wear coverall, chemical goggles to protect against splashes. Wear rubber gloves to protect hands.

WORK HYGIENIC PRACTICES: Good personal hygiene practices should be used. Wash hands after contact.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

STATE:	LIQUID		
ODOR THRESHOLD:	N/AV		
VAPOR PRESS & DENS:	N/AV	EVAP RATE:	N/AV
COLOR & APPEARANCE:	Turquoise liquid		
BOILING PT:	98 deg C	FREEZING PT:	-3 C
PH:	12.5-13.5	SPEC GRAVITY:	1.04
COEFF. WATER / OIL DIST:	N/AV		

SECTION 10 – STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product is stable under normal storage and use.

SELF-FLAMABILITY: Product is not self-igniting

DANGER OF EXPLOSION: Product is not explosive

INCOMPATIBILITY WITH OTHER SUBSTANCES: N/AV

REACTIVITY: Avoid prolonged contact with aluminum. Avoid exposure to flames, acids, and strong oxidizing materials.

HAZARDOUS DECOMPOSITION PRODUCTS: N/AV.

FLAMMABILITY: No

MEANS OF EXTINCTION: N/AP

FLASH POINT (DEG C): N/AV

FLAMMABILITY LIMITS: N/AV

AUTO IGNITION TEMP: N/AP

EXPLOSION DATA: N/AV

HAZARDOUS COMBUSTION PRODUCTS: Carbon Monoxide and Carbon Dioxide

SENSITIVITY TO STATIC DISCHARGE: N/AV

CONDITIONS TO AVOID: Excessive heat

INCOMPATIBILITY: Strong oxidizing agents, or contamination with strong acids

HAZARDOUS POLYMERIZATION: Will not occur

SECTION 11 – TOXICOLOGICAL INFORMATION

EFFECTS OF CHRONIC EXPOSURE: Prolonged contact with eyes may lead to cornea damage or burns. Inhalation of high concentrations may lead to unconsciousness. Ingestion may produce gastrointestinal disturbances including irritation, nausea, and diarrhea.

EXPOSURE LIMITS: N/AV **IRRITANCY:** N/AV

ROUTE OF ENTRY: Skin contact, Eye contact, Ingestion, Inhalation

EFFECTS OF ACUTE EXPOSURE: Vapors will irritate eyes, nose and throat.

INGESTION: Headaches, nausea, stomach cramps and/or diarrhea.

SENSITIZATION: N/AV

REPRODUCTIVE TOXICITY: N/AV

SYNERGISTIC PRODUCTS: N/AV

NOT KNOWN TO BE CARCINOGENIC, TERATOGENIC, OR MUTAGENIC

SECTION 12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE: Avoid large amounts of undiluted product to reach water bodies.

ECOTOXITY: Material is practically non-toxic to aquatic organisms on an acute basis.

BIODEGRADABILITY: This product is readily biodegradable

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Disposal must be made in accordance with local regulations.

SECTION 14 – TRANSPORT INFORMATION

UN number: 1824
TDG Classification: 8
Class: II Special
Shipping Instructions: N.A.P.

SECTION 15 – REGULATORY INFORMATION

WHIMIS Hazard Class: E Corrosive Material

INTERNATIONAL REGULATIONS:

The ingredients in this mixture can be found on the following inventories:

European Community (EINECS): Yes.	Canada (DSL): Yes.
Australia (AICS): Yes.	China: (SEPA/CICS): Yes.
Japan (IEC): Yes	

SAFETY PHRASES: Keep out of reach of children.

SECTION 16 – OTHER INFORMATION

DISCLAIMER: The information in this SDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Paxton Industries' control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising out of the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS.